To:

Jeremy Fisher[jfisher@synapse-energy.com]

Cc:

Nidhi R. Santen[nrsanten@synapse-energy.com]; Chris Lamie[Chris.Lamie@erg.com]

From:

DeYoung, Robyn

Sent:

Fri 8/21/2015 4:52:19 PM Subject: FW: AVERT 2015 load data

Hi Jeremy and Nidhi,

Can you see the graphs in the email below? Let me know and if you don't see them I can save them to a word document. Please respond to Trevor within a week.

Robyn

From: Hardy, Trevor D [mailto:trevor.hardy@pnnl.gov]

Sent: Thursday, August 13, 2015 10:54 AM

To: DeYoung, Robyn Cc: Thayer, Brandon L

Subject: Re: AVERT 2015 load data

Robyn,

Thanks for you help on this. We've been able to use this mapping on downloaded AMPD data to remap generators into AVERT regions. We're running into a little trouble where the downloaded AMPD data doesn't always line up with the existing AVERT data. I've attached two plots showing cases where it looks like things are working really well and where they aren't.

We are assuming that we are not quite doing the filtering right in our AMPD download. Below are the settings we used in downloading the AMPD data; do you have any insight into the difficulty we are having or suggestions on what we can do to get these datasets lined up?

Trevor


We used the AMPD Query tool to download information for all generators:

Programs and Data Sets: "All Programs" and for Data Sets selected "Emissions" and "Unit Level."


Time Frame: we selected "Hourly" and "Date Range" from 12/25/14 to 01/08/15 with start time 0 and end time 23.

Criteria: filtered by Unit Classification and State (state only to limit the number of entries returned. We ended up doing 9 separate queries). In Unit Classification we selected Electric Utility.

Variables: Gross Load (MW).



		A SACRATICA CONTRACTOR
		access of the man of the second at the secon
		Salaya 4 4-2020-202-202-202-202-202-202-202-202-2
		Nonemonovalentarion cui prima
		THE
		Abdimimitátisto de de escapación de escapaci
		LA POLICIO EL MANTA, LA LA LA CONTRACTOR DE LA CONTRACTOR
		solvenson i Neservi de de de deservi de
		mana-basses international production of the control
		боннование в пределения в преде
		вихиловам в в в в в в в в в в в в в в в в в в
		William Brown and the state of
		Active control to the state of
		зациученнямим — антопиямим — а
		THE THE PROPERTY OF THE PROPER



From: "DeYoung, Robyn" < DeYoung.Robyn@epa.gov>

Date: Friday, July 24, 2015 at 1:53 PM
To: Trevor Hardy trevor.hardy@pnnl.gov
Subject: Fw: AVERT 2015 load data

Hi Trevor,

We aren't sure if one week of data is sufficient to discern any measurable impacts, but here is a file Jeremy sent over that you can do your identification of units.

Robyn

From: Jeremy Fisher < ifisher@synapse-energy.com >

Sent: Friday, July 24, 2015 3:11 PM

To: DeYoung, Robyn

Subject: RE: AVERT 2015 load data

Trevor can use the tab "EPA_Facilities" in the Future Year Scenario template (attached) to map from a EPA EGU identification (columns H & I, or B) to AVERT regions (column AC, or Al)

No pre-processor required.

-Jeremy

From: DeYoung, Robyn [mailto:DeYoung.Robyn@epa.gov]

Sent: Friday, July 24, 2015 10:40 AM

To: Jeremy Fisher

Subject: Fw: AVERT 2015 load data

Hi Jeremy,

See the email below from Trevor.. I'm seeing a trend in asking for preprocessor data. I

would say, no we don't have the 2015 data available and they could just use 2014 as a proxy... Thoughts?

If you need to call me I'm working from home, but you'd need to use my personal line

But email is fine too.

FOLA Exemption #6
personal phone information

Robyn

From: Hardy, Trevor D < trevor.hardy@pnnl.gov>

Sent: Thursday, July 23, 2015 5:10 PM

To: DeYoung, Robyn

Subject: AVERT 2015 load data

Robyn,

For one of the analysis we are doing for our project on the smart-grid and their emissions impact it would be useful have the first week of 2015 load data as is published in the AVERT RDFs. We tried going to the AMPD site and making a query there but the EPA region aggregation does not line up with the AVERT region aggregation very well. Is there a way to get this load data by AVERT region from you early? Alternatively, is there an easily digestible mapping that we could use to group the individual generators ourselves from a more general AMPD query?

Trevor

Allega en espe

peder Alexander has the monaders

.

.

·